

YUEQING GOOD ELECTRIC CO. LTD.



PCB Screw Terminal Blocks

PCB螺钉式接线端子

PCB螺钉式接线端子的脚距3.5mm、3.81mm、5.0mm、5.08mm、6.35mm、7.5mm、7.62mm、9.5mm、10.0mm、10.16mm，并含有90°，135°，180°，等三种进线方向，配合单层、双层和三层的设计，使应用的选择性多样化。产品设计符合IEC60998，UL1059等国际标准并通过UL等认证。

Terminals with different pitches are available. The products are designed in accordance with IEC60998, UL1059 standards and we have got the approvals of UL, etc.



Pluggable Terminal Blocks

插拔式接线端子

插拔式端子台提供3.5mm、3.81mm、5.0mm、5.08mm、7.5mm、7.62mm等不同间距的插头。为了应用不同场合的使用需要，提供水平插头、垂直插头、与同方向进线插头等选择。产品设计符合IEC60998、UL1059等国际标准并通过UL等认证。

Pluggable terminal blocks. Available different pitches can be chose. you can choose the insert direction, contact direction, plug-in direction according your requirement. The products are designed in accordance with IEC60998, UL1059 standards and we have got the approvals of UL, etc.



Screwless Terminal Blocks

弹簧式接线端子

弹簧式接线端子提供2.5mm、2.54mm、3.5mm、5.0mm、7.5mm、7.62mm等间距，圆棒端子及单芯线能直接插入，不需要手把辅助，但较小的电线可用手把打开夹子将电线夹紧。大部分免螺丝式端子台都是以一片一片组合而成。产品设计符合IEC60998、UL1059等国际标准，大部分产品通过UL等认证。

Spring terminals can be used for wire connection. The products are designed in accordance with IEC60998, UL1059 standards and we have got the approvals of UL, etc.



Feed Through Terminal Blocks

贯通式接线端子

贯通式接线端子不带保险丝，它可将二导体方便、可靠连接起来。可以连接0.75mm²至30mm²的所有类型的导线。产品设计符合IEC60998、UL1059等国际标准并通过UL等认证，

Feed through terminal blocks, without fuse, connecting with two conductors easily and credibility. Provide the wire size from 0.75mm² to 30mm². The products are designed in accordance with IEC60998, UL1059 standards and we have got the approvals of UL, etc.

<http://www.goodelectric.net> sales@goodelectric.net



Barrier Terminal Blocks

栅栏式接线端子

栅栏式接线端子，接线直观明了，可以连接截面为0.32mm²至5.3mm²的所有类型的导线。间距7.62~11mm可供选择。可提供有盖、无盖等款式。产品设计符合IEC60998，UL1059，CSA C22.22 No.158等国际标准，

Barrier Terminal Blocks, connecting easily, provide the wire range size from 0.32mm² to 5.3mm². Available with different pitches from 7.62mm to 11mm, you can choose with cover or without cover with your requirement. The products are designed in accordance with IEC60998, UL1059 standards and we have got the approvals of UL etc.



Transformer Terminal Blocks

变压器接线端子

变压器接线端子专门针对变压器的接线和类似接线应用而设计的接线端子。结构设计兼顾了变压器接线中接线方便和接线牢固的需求，可以快速的安装在2x10mm的导轨上。产品设计制造符合IEC60998、UL1059等国际标准并通过CQC、UL、CE、RoHS等认证。

The transformer connector is designed for transformer wiring and similar connection. The construction can meet the requirements of transformer wiring. The products meet the requirements of IEC60998, UL1059 standards and we have got the approvals of UL etc.



Code Switch Series

拨码开关系列

拨码开关系列，具有产品寿命长，使用方便等特点。DIP开关分为平拨，侧拨。盖子样式和颜色有多种可提供选择，下板方式为180度直和90度折弯类型，

DIP Switch, for these series products, have the excellence easy use, long life. DIP Switches have flat dial type and side dial type; we have different colors cover can be chose. for the deep board you can choose straight 180° or bend 90°.




订购方式/HOW TO ORDER


型号 Series No. — **XXP** — **1Y** —

X	X	X	X
客户需求 Customer Request			

颜色 Color

Green	4	灰色 Grey	7	透明 Transp.
Blue	5	棕色 Orange	8	白色 White
3	黑色 Black	6	9	黄色 Yellow

					
Model		GS001S-5.0		GS001R-5.0	
Standard		IEC UL		IEC UL	
Voltage		250V 300V		250V 300V	
Current		24A 15A		24A 15A	
Wire size		2.5mm ² 22-12AWG		2.5mm ² 22-12AWG	
Pitch		5.0mm		7.5mm	
Pole NO.		2P,3P-24P		2P,3P-24P	

					
Model		GS002S-5.0		GS003-5.0	
Standard		IEC UL		IEC UL	
Voltage		250V 300V		250V 300V	
Current		17.5A 15A		20A 15A	
Wire size		1.5mm ² 22-12AWG		2.5mm ² 22-14AWG	
Pitch		5.0mm		7.5mm	
Pole NO.		2P,3P-24P		2P,3P-24P	

					
Model		GS005-3.5		GS005S-5.0	
Standard		IEC UL		IEC UL	
Voltage		250V 300V		250V 300V	
Current		8A 8A		12A 15A	
Wire size		1.0mm ² 28-16AWG		1.5mm ² 28-14AWG	
Pitch		3.5mm		5.0mm	
Pole NO.		2P,3P-24P		2P,3P-24P	

					
Model		GS006R-5.0		GS007S-5.0/5.08	
Standard		IEC UL		IEC UL	
Voltage		250V 300V		250V 300V	
Current		18A 10A		18A 16A	
Wire size		0.5-2.5mm ² 26-14AWG		2.5mm ² 24-12AWG	
Pitch		5.0mm		5.0/5.08mm	
Pole NO.		2P,3P-24P		2P,3P-24P	

					
Model		GS007S-7.5		GS008-6.35	
Standard		IEC UL		IEC UL	
Voltage		450V 300V		450V 300V	
Current		18A 16A		24A 30A	
Wire size		2.5mm ² 24-12AWG		4.0mm ² 26-10AWG	
Pitch		7.5mm		6.35mm	
Pole NO.		2P,3P-24P		2P,3P-24P	

					
Model		GS008-9.52		GS009S-5.0/5.08	
Standard		IEC UL		IEC UL	
Voltage		1000V 300V		250V 300V	
Current		32A 30A		15A 12A	
Wire size		4.0mm ² 26-10AWG		1.5mm ² 26-12AWG	
Pitch		9.52mm		5.0/5.08mm	
Pole NO.		2P,3P-24P		2P,3P-24P	

					
Model		GS009B-5.0		GS010H-5.0/5.08	
Standard		IEC UL		IEC UL	
Voltage		250V 300V		250V 300V	
Current		15A 12A		18A 16A	
Wire size		1.5mm ² 26-12AWG		2.5mm ² 24-12AWG	
Pitch		5.0mm		5.0/5.08mm	
Pole NO.		2P,3P-24P		2P,3P-24P	


					
Model		GS010A-5.0/5.08		GS010B2-5.08	
Standard		IEC UL		IEC UL	
Voltage		250V 300V		250V 300V	
Current		18A 16A		18A 16A	
Wire size		2.5mm ² 24-12AWG		2.5mm ² 22-14AWG	
Pitch		5.0/5.08mm		5.08mm	
Pole NO.		2x(2P,3P-24P)		2x(2P,3P-24P)	

					
Model		GS011S-3.81		GS012R-3.5/3.96	
Standard		IEC UL		IEC UL	
Voltage		130V 300V		130V 300V	
Current		10A 7A		10A 7A	
Wire size		1.0mm ² 24-18AWG		1.0mm ² 24-18AWG	
Pitch		3.81mm		3.5/3.96mm	
Pole NO.		2P,3P-24P		2P,3P-24P	

					
Model		GS013H-5.0/5.08		GS015S-3.81	
Standard		IEC UL		IEC UL	
Voltage		250V 300V		130V 300V	
Current		24A 16A		10A 9A	
Wire size		2.5mm ² 24-12AWG		1.0mm ² 26-16AWG	
Pitch		5.0/5.08mm		3.5/3.81mm	
Pole NO.		2P,3P-24P		2P,3P-24P	

				
RoHS 	RoHS 	RoHS 	 	 
Model	GS015R-3.81	GS016S-7.5	GS016R-7.5	GS017S-5.0/5.08
Standard	IEC	UL	IEC	UL
Voltage	130V	300V	450V	300V
Current	10A	9A	18A	20A
Wire size	1.0mm ²	2.5mm ²	2.5mm ²	2.5mm ²
Pitch	3.81mm	7.5mm	7.5mm	5.0/5.08mm
Pole NO.	2P,3P-24P	2P,3P-24P	2P,3P-24P	2P,3P-24P

				
 	 	RoHS 	RoHS 	RoHS 
Model	GS017S-7.5/7.62	GS017R-7.5/7.62	GS017B-5.0	GS017RB-5.0
Standard	IEC	UL	IEC	UL
Voltage	450V	300V	250V	300V
Current	20A	20A	20A	20A
Wire size	2.5mm ²	2.5mm ²	2.5mm ²	2.5mm ²
Pitch	7.5/7.62mm	7.5/7.62mm	5.0mm	5.0mm
Pole NO.	2P,3P-24P	2P,3P-24P	2P,3P-24P	2P,3P-24P

				
 	 	 	 	 
Model	GS018S-5.0	GS018R-5.0	GS019S-2.54	GS019R-2.54
Standard	IEC	UL	IEC	UL
Voltage	250V	300V	130V	150V
Current	22A	15A	8A	6A
Wire size	2.5mm ²	2.5mm ²	1.0mm ²	1.0mm ²
Pitch	5.0mm	5.0mm	2.54mm	2.54mm
Pole NO.	2P-24P	2P-24P	2P-24P	2P-24P

				
 	RoHS 		RoHS 	RoHS 
Model	GS021-5.0	GS022-5.0	GS023-5.0	GS024S-2.54/5.08/7.62
Standard	IEC	UL	IEC	UL
Voltage	250V	300V	250V	150V/320V/450V
Current	24A	16A	24A	30A
Wire size	2.5mm ²	2.5mm ²	2.5mm ²	30A
Pitch	5.0mm	5.0mm	5.0mm	2.54/5.08/7.62mm
Pole NO.	2P,3P-24P	2P,3P-24P	2P,3P-24P	1P-25P

				
RoHS 	RoHS 	 	 	 
Model	GS025S-2.54/5.08/7.62	GS025R-2.54/5.08/7.62	GS026S-5.0	GS026R-5.0
Standard	IEC	UL	IEC	UL
Voltage	150V/320V/450V	150V/300V/300V	250V	300V
Current	30A	25A	24A	15A
Wire size	-	-	2.5mm ²	2.5mm ²
Pitch	2.54/5.08/7.62mm	2.54/5.08/7.62mm	5.0mm	5.0mm
Pole NO.	1P-25P	1P-25P	2P-32P	2P-32P


				
 	 	 	 	 
Model	GS026L-5.0	GS027S-5.0	GS027R-5.0	GS028S-5.0/5.08
Standard	IEC	UL	IEC	UL
Voltage	250V	300V	250V	300V
Current	24A	15A	18A	20A
Wire size	-	-	2.5mm ²	2.5mm ²
Pitch	5.0mm	5.0mm	5.0mm	5.0/5.08mm
Pole NO.	2P-32P	2P,3P-24P	2P,3P-24P	2P,3P-24P

				
 	 	 	 	 
Model	GS028S-7.5/7.62	GS028H-5.0/5.08	GS028HH-5.0/5.08	GS028A-5.0/5.08
Standard	IEC	UL	IEC	UL
Voltage	450V	300V	250V	300V
Current	20A	20A	20A	20A
Wire size	2.5mm ²	2.5mm ²	2.5mm ²	2.5mm ²
Pitch	7.5/7.62mm	5.0/5.08mm	5.0/5.08mm	5.0/5.08mm
Pole NO.	2P,3P-24P	2P,3P-24P	2P,3P-24P	2x(2P,3P-24P)

				
 	 	 	 	 
Model	GS028B-5.0/5.08	GS028B2-5.0/5.08	GS028A3-5.08	GS030A-10.16
Standard	IEC	UL	IEC	UL
Voltage	250V	300V	250V	750V
Current	20A	20A	20A	57A
Wire size	2.5mm ²	2.5mm ²	2.5mm ²	10.0mm ²
Pitch	5.0/5.08mm	5.0/5.08mm	5.08mm	10.16mm
Pole NO.	2x(2P,3P-24P)	2x(2P,3P-24P)	3x(2P,3P-24P)	2P,3P-24P

				
 	 	RoHS 	RoHS 	RoHS 
Model	GS032-15.0	GS032W-15.0	GS033S-5.0	GS033R-5.0
Standard	IEC	UL	IEC	UL
Voltage	1000V	600V	250V	300V
Current	115A	90A	24A	24A
Wire size	35mm ²	20-24AWG	2.5mm ²	2.5mm ²
Pitch	15.0mm	15.0mm	5.0mm	5.0mm
Pole NO.	2P,3P-9P	2P,3P-9P	1P-XXP	1P-XXP

				
RoHS 	 	 	 	 
Model	GS033R-7.5	GS034-3.81	GS034H-3.81	GS034A-3.81
Standard	IEC	UL	IEC	UL
Voltage	450V	300V	130V	300V
Current	24A	10A	10A	10A
Wire size	2.5mm ²	1.0mm ²	1.0mm ²	1.0mm ²
Pitch	7.5mm	3.81mm	3.81mm	3.81mm
Pole NO.	1P-XXP	2P,3P-24P	2P,3P-24P	2x(2P,3P-24P)



 Pluggable Terminal Blocks									
									
		GSP001-5.0/5.08		GSP001W-5.0/5.08		GSP001-7.5/7.62		GSP001W-7.5/7.62	
		IEC	UL	IEC	UL	IEC	UL	IEC	UL
		320V	300V	320V	300V	400V	300V	400V	300V
		20A	16A	20A	16A	20A	16A	20A	16A
		2.5mm ² 28-12AWG		2.5mm ² 28-12AWG		2.5mm ² 28-12AWG		2.5mm ² 28-12AWG	
		5.0/5.08mm		5.0/5.08mm		7.5/7.62mm		7.5/7.62mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		

										
	UL CE CQC		UL CE CQC		UL CE CQC		UL CE CQC		UL CE CQC	
Model	GSP001A-5.0/5.08		GSP001AW-5.0/5.08		GSP001B-5.0/5.08		GSP001BW-5.0/5.08		GSP001A-7.5/7.62	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	320V	300V	320V	300V	320V	300V	320V	300V	400V	300V
Current	20A	16A	20A	16A	20A	16A	20A	16A	20A	16A
Wire size	2.5mm ²	28-12AWG	2.5mm ²	28-12AWG	2.5mm ²	28-12AWG	2.5mm ²	28-12AWG	2.5mm ²	28-12AWG
Pitch	5.0/5.08mm		5.0/5.08mm		5.0/5.08mm		5.0/5.08mm		7.5/7.62mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
	UL CE CQC		UL CE CQC		UL CE CQC		UL CE CQC		UL CE CQC	
Model	GSP001AW-7.5/7.62		GSP001B-7.5/7.62		GSP001BW-7.5/7.62		GSP001T-5.0		GSP001TW-5.0	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	400V	300V	400V	300V	400V	300V	320V	300V	320V	300V
Current	20A	16A	20A	16A	20A	16A	20A	16A	20A	16A
Wire size	2.5mm ²	28-12AWG	2.5mm ²	28-12AWG	2.5mm ²	28-12AWG	2.5mm ²	28-12AWG	2.5mm ²	28-12AWG
Pitch	7.5/7.62mm		7.5/7.62mm		7.5/7.62mm		5.0mm		5.0mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	


										
	UL CE CQC		UL CE CQC		UL CE CQC		UL CE CQC		UL CE CQC	
Model	GSP001Z-5.08		GSP001ZW-5.08		GSP001Z-7.62		GSP001ZW-7.62		GSP001K-5.08	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	320V	300V	320V	300V	400V	300V	400V	300V	320V	300V
Current	20A	16A	20A	16A	20A	16A	20A	16A	20A	16A
Wire size	2.5mm ² 28-12AWG		2.5mm ² 28-12AWG		2.5mm ² 28-12AWG		2.5mm ² 28-12AWG		2.5mm ² 28-12AWG	
Pitch	5.08mm		5.08mm		7.62mm		7.62mm		5.08mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
	UL CE CQC		UL CE CQC		UL CE CQC		UL CE CQC		UL CE CQC	
Model	GSP001K-5.08-1000A		GSP001KW-5.08		GSP001KM-5.08		GSP001D-5.08		GSP001DW-5.08	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	320V	300V	320V	300V	320V	300V	320V	300V	320V	300V
Current	20A	16A	20A	16A	20A	16A	20A	12A	20A	12A
Wire size	2.5mm ² 28-12AWG		2.5mm ² 28-12AWG		2.5mm ² 28-12AWG		2.5mm ² 26-12AWG		2.5mm ² 26-12AWG	
Pitch	5.08mm		5.08mm		5.08mm		5.08mm		5.08mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
	UL CE CQC		UL CE CQC		RoHS CE		RoHS CE		UL CE CQC	
Model	GSP001DF-5.08		GSP001DFW-5.08		GSP001DV-5.08		GSP001DVW-5.08		GSP001S-5.0/5.08	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	320V	300V	320V	300V	320V	300V	320V	300V	320V	300V
Current	20A	12A	20A	12A	20A	12A	20A	12A	20A	16A
Wire size	2.5mm ²	26-12AWG	2.5mm ²	26-12AWG	2.5mm ²	26-12AWG	2.5mm ²	26-12AWG	-	-
Pitch	5.08mm		5.08mm		5.08mm		5.08mm		5.0/5.08mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	


										
	UL CE CQC		UL CE CQC		UL CE CQC		UL CE CQC		UL CE CQC	
Model	GSP001SC-5.0/5.08		GSP001SW-5.0/5.08		GSP001R-5.0/5.08		GSP001RC-5.0/5.08		GSP001RW-5.0/5.08	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	320V	300V	320V	300V	320V	300V	320V	300V	320V	300V
Current	20A	16A	20A	16A	20A	16A	20A	16A	20A	16A
Wire size	-	-	-	-	-	-	-	-	-	-
Pitch	5.0/5.08mm		5.0/5.08mm		5.0/5.08mm		5.0/5.08mm		5.0/5.08mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
	UL CE CQC		UL CE CQC		UL CE CQC		UL CE CQC		UL CE CQC	
Model	GSP001S-7.5/7.62		GSP001SC-7.5/7.62		GSP001SW-7.5/7.62		GSP001R-7.5/7.62		GSP001RC-7.5/7.62	
Standard	IEC UL		IEC UL		IEC UL		IEC UL		IEC UL	
Voltage	400V 300V		400V 300V		400V 300V		400V 300V		400V 300V	
Current	20A 16A		20A 16A		20A 16A		20A 16A		20A 16A	
Wire size	-		-		-		-		-	
Pitch	7.5/7.62mm		7.5/7.62mm		7.5/7.62mm		7.5/7.62mm		7.5/7.62mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

					
		UL CE CQC	UL CE CQC	UL CE CQC	UL CE CQC
Model	GSP001RW-7.5/7.62		GSP001SW-5.08-300A		GSP001RW-5.08-300A

								
	RoHS 	RoHS 	RoHS 	RoHS 	  			
Model	GSP001SUW-5.08		GSP001RU-5.08		GSP001RCU-5.08	GSP001RUW-5.08	GSP001SH-5.08	
Standard	IEC UL		IEC UL		IEC UL	IEC UL	IEC UL	IEC UL
Voltage	320V 300V		320V 300V		320V 300V	320V 300V	320V 300V	320V 300V
Current	10A 16A		10A 16A		10A 16A	10A 16A	20A 16A	20A 16A
Wire size	—		—		—	—	—	—
Pitch	5.08mm		5.08mm		5.08mm	5.08mm	5.08mm	
Pole NO.	2x(2P-24P)		2x(2P-24P)		2x(2P-24P)	2x(2P-24P)	2x(2P-24P)	




									
	  	  	  	  	  				
Model	GSP001SHW-5.08		GSP001RH-5.08		GSP001RHW-5.08	GSP001JA-5.08		GSP001JAW-5.08	
Standard	IEC UL		IEC UL		IEC UL	IEC UL		IEC UL	
Voltage	320V 300V		320V 300V		320V 300V	320V 300V		320V 300V	
Current	20A 16A		20A 16A		20A 16A	20A 16A		20A 16A	
Wire size	—		—		—	—		—	
Pitch	5.08mm		5.08mm		5.08mm	5.08mm		5.08mm	
Pole NO.	2x(2P-24P)		2x(2P-24P)		2x(2P-24P)	2P-24P		2P-24P	

												
	  	  	  	  	  							
Model	GSP001JB-5.08		GSP001JBW-5.08		GSP001F-5.08		GSP002D-2.5		GSP002SC-2.5			
Standard	IEC		UL		IEC		UL		IEC		UL	
Voltage	320V		300V		320V		300V		250V		150V	
Current	20A		16A		20A		16A		7A		4A	
Wire size	—		—		—		—		0.2~0.5mm ²		26~20AWG	
Pitch	5.08mm		5.08mm		5.08mm		2.5mm		2.5mm		2.5mm	
Pole NO.	2P~24P		2P~24P		2P~24P		2P~24P		2P~24P		2P~24P	

										
  	  	  	  	  						
Model	GSP002RC-2.5		GSP002SH-2.5		GSP002RH-2.5		GSP002-3.5/3.81		GSP002W-3.5/3.81	
Standard	IEC UL		IEC UL		IEC UL		IEC UL		IEC UL	
Voltage	250V 150V		250V 150V		250V 150V		250V 300V		250V 300V	
Current	7A 4A		7A 4A		7A 4A		7A 8A		7A 8A	
Wire size	— —		— —		— —		0.5~1.5mm ² 28~16AWG		0.5~1.5mm ² 28~16AWG	
Pitch	2.5mm		2.5mm		2.5mm		3.5/3.81mm		3.5/3.81mm	
Pole NO.	2P~24P		2X(2P~24P)		2X(2P~24P)		2P~24P		2P~24P	

										
	  	  	  	  	  					
Model	GSP002A-3.5/3.81		GSP002AW-3.5/3.81		GSP002B-3.5/3.81		GSP002BW-3.5/3.81		GSP002K-3.81	
Standard	IEC UL		IEC UL		IEC UL		IEC UL		IEC UL	
Voltage	250V 300V		250V 300V		250V 300V		250V 300V		250V 300V	
Current	7A 8A		7A 8A		7A 8A		7A 8A		7A 8A	
Wire size	0.5-1.5mm ² 28-16AWG		0.5-1.5mm ² 28-16AWG		0.5-1.5mm ² 28-16AWG		0.5-1.5mm ² 28-16AWG		0.5-1.5mm ² 28-16AWG	
Pitch	3.5/3.81mm		3.5/3.81mm		3.5/3.81mm		3.5/3.81mm		3.81mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
	  	  	  	  	  					
Model	GSP002KM-3.81		GSP002Z-3.81		GSP002ZW-3.81		GSP002D-3.5/3.81		GSP002DW-3.5/3.81	
Standard	IEC UL		IEC UL		IEC UL		IEC UL		IEC UL	
Voltage	250V 300V		250V 300V		250V 300V		250V 300V		250V 300V	
Current	7A 8A		7A 8A		7A 8A		7A 8A		7A 8A	
Wire size	0.5-1.5mm ² 28-16AWG		0.5-1.5mm ² 28-16AWG		0.5-1.5mm ² 28-16AWG		0.5-1.5mm ² 28-16AWG		0.5-1.5mm ² 28-16AWG	
Pitch	3.81mm		3.81mm		3.81mm		3.5/3.81mm		3.5/3.81mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

									
	  	  	  	RoHS 	RoHS 				
Model	GSP002DN-3.5		GSP002DNG-3.5		GSP002DNW-3.5	GSP002DV-3.5		GSP002DVW-3.5	
Standard	IEC UL		IEC UL		IEC UL	IEC UL		IEC UL	
Voltage	250V 300V		250V 300V		250V 300V	250V 300V		250V 300V	
Current	7A 8A		7A 8A		7A 8A	8A 8A		8A 8A	
Wire size	0.5-1.5mm ² 28-16AWG		0.5-1.5mm ² 28-16AWG		0.5-1.5mm ² 28-16AWG	0.5-1.5mm ² 24-16AWG		0.5-1.5mm ² 24-16AWG	
Pitch	3.5mm		3.5mm		3.5mm	3.5mm		3.5mm	
Pole NO.	2P-24P		2P-24P		2P-24P	2P-24P		2P-24P	

							
	  	  	  	  	  		
Model	GSP002DLW-3.5		GSP002RLW-3.5		GSP002SC-3.5/3.81	GSP002SW-3.5/3.81	GSP002RC-3.5/3.81
Standard	IEC UL		IEC UL		IEC UL	IEC UL	IEC UL
Voltage	250V 300V		250V 300V		250V 300V	250V 300V	250V 300V
Current	7A 8A		7A 8A		7A 8A	7A 8A	7A 8A
Wire size	0.5-1.5mm ² 28-16AWG		— —		— —	— —	— —
Pitch	3.5mm		3.5mm		3.5/3.81mm		3.5/3.81mm
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P

										
	  	RoHS 	RoHS 	RoHS 	RoHS 					
Model	GSP002RW-3.5/3.81		GSP002YC-3.5/3.81		GSP002YW-3.5/3.81		GSP002SCU-3.81		GSP002SUW-3.81	
Standard	IEC UL		IEC UL		IEC UL		IEC UL		IEC UL	
Voltage	250V 300V		250V 300V		250V 300V		250V 300V		250V 300V	
Current	7A 8A		7A 8A		7A 8A		7A 8A		7A 8A	
Wire size	—		—		—		—		—	
Pitch	3.5/3.81mm		3.5/3.81mm		3.5/3.81mm		3.81mm		3.81mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2X(2P-24P)		2X(2P-24P)	

										
	RoHS 	RoHS 	  	  	  					
Model	GSP002RCU-3.81		GSP002RUW-3.81		GSP002SH-3.5/3.81		GSP002SHW-3.5/3.81		GSP002RH-3.5/3.81	
Standard	IEC UL		IEC UL		IEC UL		IEC UL		IEC UL	
Voltage	250V 300V		250V 300V		250V 300V		250V 300V		250V 300V	
Current	7A 8A		7A 8A		7A 8A		7A 8A		7A 8A	
Wire size	—		—		—		—		—	
Pitch	3.81mm		3.81mm		3.5/3.81mm		3.5/3.81mm		3.5/3.81mm	
Pole NO.	2X(2P-24P)		2X(2P-24P)		2X(2P-24P)		2X(2P-24P)		2X(2P-24P)	


										
										
Model	GSP002RHW-3.5/3.81		GSP002SHN-3.5		GSP002SHNM-3.5		GSP002SHNW-3.5		GSP002RHN-3.5	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	250V	300V	250V	300V	250V	300V	250V	300V	250V	300V
Current	7A	8A	7A	8A	7A	8A	7A	8A	7A	8A
Wire size	-	-	-	-	-	-	-	-	-	-
Pitch	3.5/3.81mm		3.5mm		3.5mm		3.5mm		3.5mm	
Pole NO.	2X(2P-24P)		2X(2P-24P)		2X(2P-24P)		2X(2P-24P)		2X(2P-24P)	

										
	  	  	  	  	  					
Model	GSP002RHN-3.5		GSP002RHNW-3.5		GSP002JA-3.5/3.81		GSP002JB-3.5/3.81		GSP002F-3.81	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	250V	300V	250V	300V	250V	300V	250V	300V	250V	300V
Current	7A	8A	7A	8A	7A	8A	7A	8A	7A	8A
Wire size	-	-	-	-	-	-	-	-	-	-
Pitch	3.5mm		3.5mm		3.5/3.81mm		3.5/3.81mm		3.81mm	
Pole NO.	2X(2P-24P)		2X(2P-24P)		2P-24P		2P-24P		2P-24P	


										
	RoHS 	RoHS 	RoHS 	RoHS 	RoHS 					
Model	GSP003-3.96		GSP003S-3.96		GSP003R-3.96		GSP003-5.08		GSP003S-5.08	
Standard	IEC UL		IEC UL		IEC UL		IEC UL		IEC UL	
Voltage	250V 300V		250V 300V		250V 300V		320V 300V		320V 300V	
Current	15A 8A		15A 8A		15A 8A		20A 12A		20A 12A	
Wire size	1.5mm ² 28-14AWG		1.5mm ² 28-14AWG		1.5mm ² 28-14AWG		2.5mm ² 24-12AWG		2.5mm ² 24-12AWG	
Pitch	3.96mm		3.96mm		3.96mm		5.08mm		5.08mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	



										
	RoHS CE		RoHS CE CCC		RoHS CE CCC		RoHS CE CCC		RoHS CE CCC	
Model	GSP003R-5.08		GSP005-7.62		GSP005W-7.62		GSP005SC-7.62		GSP005SW-7.62	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	320V	300V	400V	300V	400V	300V	400V	300V	400V	300V
Current	20A	12A	32A	30A	32A	30A	32A	30A	32A	30A
Wire size	2.5mm ²	24-12AWG	0.2-4.0mm ²	24-10AWG	0.2-4.0mm ²	24-10AWG	-	-	-	-
Pitch	5.08mm		7.62mm		7.62mm		7.62mm		7.62mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

	 UL CE CQC	 UL CE CQC	 RoHS CE							
Model	GSP005RC-7.62		GSP005RW-7.62		GSP005F-7.62		GSP001-PWP		GSP002-PWI	
Standard	IEC	UL	IEC	UL	IEC	UL				
Voltage	400V	300V	400V	300V	400V	300V				
Current	32A	30A	32A	30A	32A	30A				
Wire size	-	-	-	-	-	-				
Pitch	7.62mm		7.62mm		7.62mm					
Pole NO.	2P-24P		2P-24P		2P-24P					

									
									
Model	Screwless Terminal Blocks	GSL001-3.81		GSL001-5.0		GSL001-7.62		GSL001-10.0	
Standard		IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage		250V	300V	250V	300V	450V	300V	750V	300V
Current		10A	5A	15A	5A	15A	5A	15A	5A
Wire size		0.2-1.5mm ²	20-18AWG	0.2-2.5mm ²	20-18AWG	0.2-2.5mm ²	20-18AWG	0.2-2.5mm ²	20-18AWG
Pitch		3.81mm		5.0mm		7.62mm		10.0mm	
Pole NO.		1P-XXP		1P-XXP		1P-XXP		1P-XXP	

										
	UL CE CQC		UL CE CQC		UL CE CQC CB		UL CE CQC CB		UL CE CQC	
Model	GSL002A-2.5		GSL002B-2.5		GSL002A-3.5		GSL002B-3.5		GSL002A-7.0	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	250V	300V	250V	300V	450V	300V	450V	300V	450V	300V
Current	2A	2A	2A	2A	5A	7A	5A	7A	5A	7A
Wire size	0.2-0.5mm ²	24-20AWG	0.2-0.5mm ²	24-20AWG	0.2-0.75mm ²	24-18AWG	0.2-0.75mm ²	24-18AWG	0.2-0.75mm ²	24-18AWG
Pitch	2.5mm		2.5mm		3.5mm		3.5mm		7.0mm	
Pole NO.	1P-XXP		1P-XXP		1P-XXP		1P-XXP		1P-XXP	


										
	UL CE CCC		UL CE CCC		UL CE CCC		UL CE CCC		UL CE CCC	
Model	GSL002B-7.0		GSL003S-2.54		GSL003R-2.54		GSL004S-5.08		GSL004R-5.08	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	450V	300V	130V	150V	130V	150V	250V	300V	250V	300V
Current	5A	7A	6A	2A	6A	2A	15A	10A	15A	10A
Wire size	0.2-0.75mm ² 24-18AWG		0.2-1.0mm ² 24-20AWG		0.2-1.0mm ² 24-20AWG		1.5mm ² 22-16AWG		1.5mm ² 22-16AWG	
Pitch	7.0mm		2.54mm		2.54mm		5.08mm		5.08mm	
Pole NO.	1P-XXP		1P-XXP		1P-XXP		1P-XXP		1P-XXP	





										
										
Model	GSL004S-7.62		GSL004R-7.62		GSL005-5.0		GSL006-5.08		GSL008-5.0/5.08	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	450V	300V	450V	300V	450V	300V	320V	300V	450V	300V
Current	15A	10A	15A	10A	12A	10A	10A	10A	17A	15A
Wire size	1.5mm ²	22-16AWG	1.5mm ²	22-16AWG	0.2-1.5mm ²	22-16AWG	0.2-1.5mm ²	22-16AWG	0.2-2.5mm ²	28-12AWG
Pitch	7.62mm		7.62mm		5.0mm		5.08mm		5.0/5.08mm	
Pole NO.	1P-XXP		1P-XXP		2x(1P-XXP)		1P-XXP		1P-XXP	





										
	RoHS 		  		RoHS 		   CB		RoHS 	
Model	GSL008H2-5.0		GSL008-7.5/7.62		GSL008-10.0		GSL009-5.0		GSL010-5.0	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	450V	300V	750V	300V	1000V	300V	250V	300V	250V	300V
Current	17A	15A	17A	15A	17A	15A	10A	8A	10A	8A
Wire size	0.2-2.5mm ²	28-12AWG	0.2-2.5mm ²	28-12AWG	0.2-2.5mm ²	28-12AWG	1.0mm ²	22-18AWG	0.2-1.5mm ²	20-16AWG
Pitch	5.0mm		7.5/7.62mm		10.0mm		5.0mm		5.0mm	
Pole NO.	2x(1P-XXP)		1P-XXP		1P-XXP		2P,3P-24P		1P-XXP	




				
				
Model	GSL011S-3.5		GSL011R-3.5	
Standard	IEC	UL	IEC	UL
Voltage	250V	300V	250V	300V
Current	10A	8A	10A	8A
Wire size	1.0mm ²	22-16AWG	1.0mm ²	22-16AWG
Pitch	3.5mm		3.5mm	
Pole NO.	1P-XXP		1P-XXP	
Model	GSL011S-5.0		GSL011R-5.0	
Standard	IEC	UL	IEC	UL
Voltage	250V	300V	250V	300V
Current	15A	8A	15A	8A
Wire size	1.5mm ²	22-16AWG	1.5mm ²	22-16AWG
Pitch	5.0mm		5.0mm	
Pole NO.	1P-XXP		1P-XXP	
Model	GSL012S-5.0			
Standard	IEC	UL		
Voltage	250V	300V		
Current	17A	15A		
Wire size	0.2-2.5mm ²	28-12AWG		
Pitch	5.0mm			
Pole NO.	1P-XXP			



				
				
Model	GSL012R-5.0		GSL013-5.0	
Standard	IEC	UL	IEC	UL
Voltage	250V	300V	250V	300V
Current	17A	15A	17A	15A
Wire size	0.2-2.5mm ²	28-12AWG	2.5mm ²	28-12AWG
Pitch	5.0mm		5.0mm	
Pole NO.	1P-XXP		1P-XXP	
Model	GSL014-2.54		GSL015-5.0	
Standard	IEC	UL	IEC	UL
Voltage	130V	150V	250V	300V
Current	6A	4A	16A	12A
Wire size	0.2-0.5mm ²	28-20AWG	0.2-2.5mm ²	20-12AWG
Pitch	2.54mm		5.0mm	
Pole NO.	1P-XXP		1P-XXP	
Model	GSL016S-2.54			
Standard	IEC	UL		
Voltage	250V	150V		
Current	6A	2A		
Wire size	0.2-2.5mm ²	24-20AWG		
Pitch	2.54mm			
Pole NO.	1P-XXP			

				
				
Model	GSL016R-2.54		GSS100-8.0	
Standard	IEC	UL	IEC	UL
Voltage	130V	150V	750V	600V
Current	6A	2A	24A	15A
Wire size	1.0mm ²	24-20AWG	0.5-2.5mm ²	20-14AWG
Pitch	2.54mm		8.0mm	
Pole NO.	1P-XXP		2P-12P	
Model			GSS100W-8.0	
Standard	IEC	UL	IEC	UL
Voltage	750V	600V	750V	600V
Current	24A	15A	24A	15A
Wire size	0.5-2.5mm ²	20-14AWG	0.5-2.5mm ²	20-14AWG
Pitch			8.0mm	
Pole NO.			2P-12P	
Model			GSS200-10.0	
Standard	IEC	UL	IEC	UL
Voltage	1000V	600V	1000V	600V
Current	24A	15A	24A	15A
Wire size	2.5mm ²	18-12AWG	2.5mm ²	18-12AWG
Pitch			10.0mm	
Pole NO.			2P-12P	

				
				
Model	GSS200W-10.0		GSS200H-10.0	
Standard	IEC	UL	IEC	UL
Voltage	1000V	600V	1000V	600V
Current	24A	20A	24A	20A
Wire size	2.5mm ²	18-12AWG	2.5mm ²	18-12AWG
Pitch	10.0mm		10.0mm	
Pole NO.	2P-12P		2P-12P	
Model	GSS200HW-10.0		GSS250-11.5	
Standard	IEC	UL	IEC	UL
Voltage	1000V	600V	1000V	600V
Current	24A	20A	41A	30A
Wire size	2.5mm ²	18-12AWG	6.0mm ²	14-10AWG
Pitch	10.0mm		11.5mm	
Pole NO.	2P-12P		2P-12P	
Model	GSS250W-11.5			
Standard	IEC	UL		
Voltage	1000V	600V		
Current	41A	30A		
Wire size	6.0mm ²	14-10AWG		
Pitch	11.5mm			
Pole NO.	2P-12P			


				
				
Model	GSS300-12.0		GSS300W-12.0	
Standard	IEC	UL	IEC	UL
Voltage	1000V	600V	1000V	600V
Current	41A	30A	41A	30A
Wire size	6.0mm ²	14-10AWG	6.0mm ²	14-10AWG
Pitch	12.0mm		12.0mm	
Pole NO.	2P-12P		2P-12P	
Model	GSS300H-12.0		GSS300HW-12.0	
Standard	IEC	UL	IEC	UL
Voltage	1000V	600V	1000V	600V
Current	41A	30A	41A	30A
Wire size	6.0mm ²	14-10AWG	6.0mm ²	14-10AWG
Pitch	12.0mm		12.0mm	
Pole NO.	2P-12P		2P-12P	
Model	GSS400-13.5			
Standard	IEC	UL		
Voltage	1000V	600V		
Current	57A	50A		
Wire size	10.0mm ²	18-8AWG		
Pitch	13.5mm			
Pole NO.	2P-12P			




				
				
Model	GSS400W-13.5		GSS500-14.5	
Standard	IEC	UL	IEC	UL
Voltage	1000V	600V	1000V	600V
Current	57A	50A	76A	65A
Wire size	10.0mm ²	18-8AWG	16.0mm ²	14-6AWG
Pitch	13.5mm		14.5mm	
Pole NO.	2P-12P		2P-12P	
Model	GSS500W-14.5		GSS500H-14.5	
Standard	IEC	UL	IEC	UL
Voltage	1000V	600V	1000V	600V
Current	76A	65A	76A	65A
Wire size	16.0mm ²	14-6AWG	16.0mm ²	14-6AWG
Pitch	14.5mm		14.5mm	
Pole NO.	2P-12P		2P-12P	
Model	GSS500HW-14.5			
Standard	IEC	UL		
Voltage	1000V	600V		
Current	76A	65A		
Wire size	16.0mm ²	14-6AWG		
Pitch	14.5mm			
Pole NO.	2P-12P			


				
				
Model	GSF100W		GSF200W	
Standard	IEC	UL	IEC	UL
Voltage	250V	300V	250V	300V
Current	6.3A	6.3A	6.3A	6.3A
Wire size	0.5-2.5mm ²	22-14AWG	0.5-2.5mm ²	22-14AWG
Pitch	-		-	
Pole NO.	1P-10P		1P-10P	
Model			GSF100W-25	
Standard	IEC	UL	IEC	UL
Voltage	250V	300V	250V	300V
Current	13A	13A	13A	13A
Wire size	0.5-2.5mm ²	22-14AWG	0.5-2.5mm ²	22-14AWG
Pitch	-		-	
Pole NO.	1P-10P		1P-10P	
Model			GSA25C-7.62	
Standard	IEC	UL	IEC	UL
Voltage	320V	300V	320V	300V
Current	24A	15A	24A	15A
Wire size	2.5mm ²	22-14AWG	2.5mm ²	22-14AWG
Pitch	7.62mm		7.62mm	
Pole NO.	2P-26P		2P-26P	

										
	  		  		  		  		  	
Model	GSA25CW-7.62		GSA25S-7.62		GSA25SW-7.62		GSA25H-7.62		GSA25HW-7.62	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	320V	300V	320V	300V	320V	300V	320V	300V	320V	300V
Current	24A	15A	24A	15A	24A	15A	24A	15A	24A	15A
Wire size	2.5mm ²	22-14AWG	2.5mm ²	22-14AWG	2.5mm ²	22-14AWG	2.5mm ²	22-14AWG	2.5mm ²	22-14AWG
Pitch	7.62mm		7.62mm		7.62mm		7.62mm		7.62mm	
Pole NO.	2P-26P		2P-26P		2P-26P		2P-26P		2P-26P	



	 		 		 		 		 	
Model	GSA35C-8.5		GSA35CW-8.5		GSA35S-8.5		GSA35SW-8.5		GSA35H-8.5	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	450V	300V	450V	300V	450V	300V	450V	300V	450V	300V
Current	24A	20A	24A	20A	24A	20A	24A	20A	24A	20A
Wire size	2.5mm ²	22-12AWG	2.5mm ²	22-12AWG	2.5mm ²	22-12AWG	2.5mm ²	22-12AWG	2.5mm ²	22-12AWG
Pitch	8.5mm		8.5mm		8.5mm		8.5mm		8.5mm	
Pole NO.	2P-26P		2P-26P		2P-26P		2P-26P		2P-26P	


										
										
Model	GSA35HW-8.5		GSA35R-8.5		GSA35RW-8.5		GSA45C-9.5		GSA45CW-9.5	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	450V	300V	450V	300V	450V	300V	630V	300V	630V	300V
Current	24A	20A	24A	20A	24A	20A	32A	20A	32A	20A
Wire size	2.5mm ²	22-12AWG	2.5mm ²	22-12AWG	2.5mm ²	22-12AWG	4.0mm ²	22-12AWG	4.0mm ²	22-12AWG
Pitch	8.5mm		8.5mm		8.5mm		9.5mm		9.5mm	
Pole NO.	2P-26P		2P-26P		2P-26P		2P-24P		2P-24P	



										
										
Model	GSA45S-9.5		GSA45SW-9.5		GSA45H-9.5		GSA45HW-9.5		GSA45R-9.5	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	630V	300V	630V	300V	630V	300V	630V	300V	630V	300V
Current	32A	20A	32A	20A	32A	20A	32A	20A	32A	20A
Wire size	4.0mm ²	22-12AWG	4.0mm ²	22-12AWG	4.0mm ²	22-12AWG	4.0mm ²	22-12AWG	4.0mm ²	22-12AWG
Pitch	9.5mm		9.5mm		9.5mm		9.5mm		9.5mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
										
Model	GSA45RW-9.5		GSA55C-10.0		GSA55CW-10.0		GSA55S-10.0		GSA55SW-10.0	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	630V	300V	630V	300V	630V	300V	630V	300V	630V	300V
Current	32A	20A	32A	25A	32A	25A	32A	25A	32A	25A
Wire size	4.0mm ²	22-12AWG	4.0mm ²	22-10AWG	4.0mm ²	22-10AWG	4.0mm ²	22-10AWG	4.0mm ²	22-10AWG
Pitch	9.5mm		10.0mm		10.0mm		10.0mm		10.0mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
										
Model	GSA55H-10.0		GSA55HW-10.0		GSA55R-10.0		GSA55RW-10.0		GSA65C-11.0	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	630V	300V	630V	300V	630V	300V	630V	300V	630V	300V
Current	32A	25A	32A	25A	32A	25A	32A	25A	32A	25A
Wire size	4.0mm ²	22-10AWG	4.0mm ²	22-10AWG	4.0mm ²	22-10AWG	4.0mm ²	22-10AWG	4.0mm ²	22-10AWG
Pitch	10.0mm		10.0mm		10.0mm		10.0mm		11.0mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
										
Model	GSA65CW-11.0		GSA65S-11.0		GSA65SW-11.0		GSA65H-11.0		GSA65HW-11.0	
Standard	IEC UL		IEC UL		IEC UL		IEC UL		IEC UL	
Voltage	630V 300V		630V 300V		630V 300V		630V 300V		630V 300V	
Current	32A 25A		32A 25A		32A 25A		32A 25A		32A 25A	
Wire size	4.0mm ² 22-10AWG		4.0mm ² 22-10AWG		4.0mm ² 22-10AWG		4.0mm ² 22-10AWG		4.0mm ² 22-10AWG	
Pitch	11.0mm		11.0mm		11.0mm		11.0mm		11.0mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
										
Model	GSA65R-11.0		GSA65RW-11.0		GSA635S-6.35		GSA635R-6.35		GSA825S-8.25	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	630V	300V	630V	300V	250V	300V	250V	300V	450V	300V
Current	32A	25A	32A	25A	17.5A	10A	17.5A	10A	24A	20A
Wire size	4.0mm ²	22-10AWG	4.0mm ²	22-10AWG	1.5mm ²	22-16AWG	1.5mm ²	22-16AWG	2.5mm ²	22-12AWG
Pitch	11.0mm		11.0mm		6.35mm		6.35mm		8.25mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
										
Model	GSA825R-8.25		GSA900-9.0		GSA950S-9.5		GSA950R-9.5		GSA950C-9.5	
Standard	IEC UL		IEC UL		IEC UL		IEC UL		IEC UL	
Voltage	450V 300V		630V 300V		630V 300V		630V 300V		630V 300V	
Current	24A 20A		32A 20A		32A 20A		32A 20A		32A 20A	
Wire size	2.5mm ² 22-12AWG		4.0mm ² 22-12AWG		4.0mm ² 22-12AWG		4.0mm ² 22-12AWG		4.0mm ² 22-12AWG	
Pitch	8.25mm		9.0mm		9.5mm		9.5mm		9.5mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
	RoHS 		RoHS 		RoHS 		RoHS 		RoHS 	
Model	GSA28RW-7.62		GSA38C-8.25		GSA38CW-8.25		GSA38S-8.25		GSA38SW-8.25	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	320V	300V	450V	300V	450V	300V	450V	300V	450V	300V
Current	24A	15A	24A	15A	24A	15A	24A	15A	24A	15A
Wire size	2.5mm ²	22-14AWG	2.5mm ²	22-14AWG	2.5mm ²	22-14AWG	2.5mm ²	22-14AWG	2.5mm ²	22-14AWG
Pitch	7.62mm		8.25mm		8.25mm		8.25mm		8.25mm	
Pole NO.	2P-26P		2P-26P		2P-26P		2P-26P		2P-26P	

										
	RoHS 	RoHS 	RoHS 	RoHS 	RoHS 					
Model	GSA38H-8.25		GSA38HW-8.25		GSA38R-8.25	GSA38RW-8.25		GSA48C-9.5		
Standard	IEC UL		IEC UL		IEC UL		IEC UL		IEC UL	
Voltage	450V 300V		450V 300V		450V 300V		450V 300V		630V 300V	
Current	24A 15A		24A 15A		24A 15A		24A 15A		32A 20A	
Wire size	2.5mm ² 22-14AWG		2.5mm ² 22-14AWG		2.5mm ² 22-14AWG		2.5mm ² 22-14AWG		4.0mm ² 22-12AWG	
Pitch	8.25mm		8.25mm		8.25mm		8.25mm		9.5mm	
Pole NO.	2P-26P		2P-26P		2P-26P		2P-26P		2P-24P	

										
	RoHS 	RoHS 	RoHS 	RoHS 	RoHS 					
Model	GSA48CW-9.5		GSA48S-9.5		GSA48SW-9.5		GSA48H-9.5		GSA48HW-9.5	
Standard	IEC UL		IEC UL		IEC UL		IEC UL		IEC UL	
Voltage	630V 300V		630V 300V		630V 300V		630V 300V		630V 300V	
Current	32A 20A		32A 20A		32A 20A		32A 20A		32A 20A	
Wire size	4.0mm² 22-12AWG		4.0mm² 22-12AWG		4.0mm² 22-12AWG		4.0mm² 22-12AWG		4.0mm² 22-12AWG	
Pitch	9.5mm		9.5mm		9.5mm		9.5mm		9.5mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
	RoHS 		RoHS 		RoHS 		RoHS 		RoHS 	
Model	GSA48R-9.5		GSA48RW-9.5		GSA58C-10.0		GSA58CW-10.0		GSA58S-10.0	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	630V	300V	630V	300V	630V	300V	630V	300V	630V	300V
Current	32A	20A	32A	20A	32A	20A	32A	20A	32A	20A
Wire size	4.0mm ²	22-12AWG	4.0mm ²	22-12AWG	4.0mm ²	22-12AWG	4.0mm ²	22-12AWG	4.0mm ²	22-12AWG
Pitch	9.5mm		9.5mm		10.0mm		10.0mm		10.0mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
	RoHS 	RoHS 	RoHS 	RoHS 	RoHS 					
Model	GSA58SW-10.0		GSA58H-10.0		GSA58HW-10.0		GSA58R-10.0		GSA58RW-10.0	
Standard	IEC UL		IEC UL		IEC UL		IEC UL		IEC UL	
Voltage	630V 300V		630V 300V		630V 300V		630V 300V		630V 300V	
Current	32A 20A		32A 20A		32A 20A		32A 20A		32A 20A	
Wire size	4.0mm ² 22-12AWG		4.0mm ² 22-12AWG		4.0mm ² 22-12AWG		4.0mm ² 22-12AWG		4.0mm ² 22-12AWG	
Pitch	10.0mm		10.0mm		10.0mm		10.0mm		10.0mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
	RoHS 		RoHS 		RoHS 		RoHS 		RoHS 	
Model	GSA78C-13.0		GSA78CW-13.0		GSA78S-13.0		GSA78SW-13.0		GSA78H-13.0	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	750V	600V	750V	600V	750V	600V	750V	600V	750V	600V
Current	41A	40A	41A	40A	41A	40A	41A	40A	41A	40A
Wire size	6.0mm ²	18-10AWG	6.0mm ²	18-10AWG	6.0mm ²	18-10AWG	6.0mm ²	18-10AWG	6.0mm ²	18-10AWG
Pitch	13.0mm		13.0mm		13.0mm		13.0mm		13.0mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P-24P		2P-24P	

										
	RoHS 	RoHS 	RoHS 	  	  					
Model	GSA78HW-13.0		GSA78R-13.0		GSA78RW-13.0		GSA8500-8.5		GSA7620-7.62	
Standard	IEC UL		IEC UL		IEC UL		IEC UL		IEC UL	
Voltage	750V 600V		750V 600V		750V 600V		450V 300V		320V 300V	
Current	41A 40A		41A 40A		41A 40A		24A 15A		24A 15A	
Wire size	6.0mm ² 18-10AWG		6.0mm ² 18-10AWG		6.0mm ² 18-10AWG		2.5mm ² 22-14AWG		2.5mm ² 22-14AWG	
Pitch	13.0mm		13.0mm		13.0mm		8.5mm		7.62mm	
Pole NO.	2P-24P		2P-24P		2P-24P		2P,3P-24P		2P,3P-24P	

								
	RoHS 	RoHS 	RoHS 	RoHS 	RoHS 			
Model	GSA7623-7.62		GSA944-9.44		GSA1000S-10.0	GSA1000R-10.0	GSA24S-10.0	
Standard	IEC UL		IEC UL		IEC UL	IEC UL	IEC UL	
Voltage	320V 300V		630V 300V		630V 300V	630V 300V	630V 300V	
Current	24A 15A		32A 20A		32A 20A	32A 20A	32A 30A	
Wire size	2.5mm ² 22-14AWG		4.0mm ² 22-12AWG		4.0mm ² 22-12AWG	4.0mm ² 22-12AWG	4.0mm ² 22-12AWG	
Pitch	7.62mm		9.44mm		10.0mm	10.0mm	10.0mm	
Pole NO.	2P-24P		2P-24P		2P-24P	2P-24P	2X(2P-24P)	

								
	RoHS 	  	  	RoHS 	RoHS 			
Model	GSA24R-10.0		GSA24-7.62		GSA24H-7.62	GSA44-9.52	GSA1110S-11.10	
Standard	IEC UL		IEC UL		IEC UL	IEC UL	IEC UL	
Voltage	630V 300V		320V 300V		320V 300V	630V 300V	630V 300V	
Current	32A 30A		24A 15A		24A 15A	24A 15A	32A 20A	
Wire size	4.0mm ² 22-12AWG		2.5mm ² 22-14AWG		2.5mm ² 22-14AWG	2.5mm ² 22-14AWG	4.0mm ² 22-12AWG	
Pitch	10.0mm		7.62mm		7.62mm	9.52mm	11.10mm	
Pole NO.	2X(2P-24P)		2X(2P-24P)		2X(2P-24P)	2X(2P-24P)	2X10P	

								
	RoHS 	RoHS 	RoHS 	  	  			
Model	GSA1110R-11.10		GSA1000C2-10.0		GSA2000-10.5	GSA49-9.5	GSA69-11.0	
Standard	IEC UL		IEC UL		IEC UL	IEC UL	IEC UL	IEC UL
Voltage	630V 300V		630V 300V		630V 300V	450V 300V	750V 300V	300V
Current	32A 20A		32A 25A		32A 25A	32A 20A	32A 25A	25A
Wire size	4.0mm ² 22-12AWG		4.0mm ² 22-12AWG		4.0mm ² 22-12AWG	4.0mm ² 22-12AWG	4.0mm ² 22-12AWG	22-12AWG
Pitch	11.10mm		10.0mm		10.5mm	9.5mm	11.0mm	
Pole NO.	2X10P		2X(2P-24P)		2X(2P-24P)	2P-24P	2P-24P	

										
	RoHS CE CCC		RoHS CE		RoHS CE		RoHS CE		RoHS CE	
Model	GSA89-14.0		GSA1100-11.0		GSA1100A-11.0		GSA1100B-11.0		GSA2100-11.0	
Standard	IEC	UL	IEC	UL	IEC	UL	IEC	UL	IEC	UL
Voltage	750V	600V	450V	300V	450V	300V	450V	300V	450V	300V
Current	41A	30A	41A	30A	41A	30A	41A	30A	41A	30A
Wire size	6.0mm ² 22-10AWG		6.0mm ² 18-10AWG		6.0mm ² 18-10AWG		6.0mm ² 18-10AWG		6.0mm ² 18-10AWG	
Pitch	14.0mm		11.0mm		11.0mm		11.0mm		11.0mm	
Pole NO.	2P-24P		2P-12P		2P-12P		2P-12P		2X(2P-12P)	

	 RoHS 		 RoHS 			   	 		
Model	GSA2100A-11.0		GSA2100B-11.0		Transformer Terminal Blocks	GSO100-7.5		GSO100-15.0	
Standard	IEC	UL	IEC	UL		IEC	UL	IEC	UL
Voltage	450V	300V	450V	300V		750V	300V	750V	300V
Current	41A	30A	41A	30A		32A	20A	41A	20A
Wire size	6.0mm ² 18-10AWG		6.0mm ² 18-10AWG			0.5-4.0mm ²	20-10AWG	6.0mm ²	20-10AWG
Pitch	11.0mm		11.0mm		7.5mm	15.0mm			
Pole NO.	2X(2P-12P)		2X(2P-12P)		1P-3P	1P			


						
	CE	CE	CE			
Model	GSO200-9.5		GSO200-13.0		GSO300-7.5	
Standard	IEC	UL	IEC	UL	IEC	UL
Voltage	250V	600V	450V	600V	450V	600V
Current	24A	10A	32A	30A	32A	30A
Wire size	0.5-2.5mm ²	20-12AWG	0.5-4.0mm ²	20-12AWG	0.5-4.0mm ²	20-10AWG
Pitch	9.5mm		13.0mm		7.5mm	
Pole NO.	2P		1P		1P-3P	

	Code Switch							
	</							

					
Model	GSW1002-2.54	GSW1003-2.54	GSW1004-2.54	GSW1005-2.54	GSW1006-1.27
Standard					
Voltage					
Current					
Wire size					
Pitch	2.54mm	2.54mm	2.54mm	2.54mm	1.27mm
Pole NO.	2P-12P	2P-12P	2P-12P	2P-12P	2P-12P

					
Model	GSKC002	GSKC001	GSK08001-2J	GSK08002-4J	GSK08001-4J
Standard					
Voltage					
Current					
Wire size					
Pitch					
Pole NO.					

Harness Processing 接线端子工业线束加工



Custom, personalized & diversified orders available;
special specifications and all colors supported.

